STRAIGHT TRACK SERIES

BENDABLE & STRAIGHT TRACK SERIES

CURVED TRACK SERIES

SILENT TRACK SERIES

DOUBLE TRACK SERIES

EMBEDDED TRACK SERIES

THREE IN ONE CURTAIN BOX SERIES





info@fsiksun.com



0086-757-86603552



https://www.curtainrodtracks.com

FOSHAN YIKAIXUAN HOUSEHOLD PRODUCTS CO.,LTD.

Xia'an Industrial Zone, Danzao Town, Nanhai District, Foshan City, Guangdong Province, China



CURTAIN TRACK CATALOG













Our factory possess an area of 15,000 square meters, over 120 employeesand more than 10 automatic production equipments.

ABOUT US



FOSHAN YIKAIXUAN HOUSEHOLD PRODUCTS CO.,LTD. was founded in 2003. Our factory is located in Foshan City, China, Factory covers an area of 15,000 square meters, have more than 200 workers. YIKAIXUAN company, a set of materials processing, product development, production, marketing as one of the integrated production enterprises.

- More than 20 years' industry experience in aluminum curtain rods, tracks, andaluminum field
- We have obtained the quality management system of ISO9001
- We have obtained more than 80 patents
- OEM & ODM are all acceptable







The factory have many years of aluminium extrusion production experience, own several aluminium extrusion lines, anodized line, powder coating line. The major products are aluminium profiles for curtain tracks and rails, Aluminum profiles for window decoration and shading.



At the same time, the factory also produce the fnished aluminium curtain track and curtain rails in set. YIKAIXUAN has a number of patents, with a strong r & D ability, can provide customized services for customers.



THE SPIRIT OF ORIGINALITY

There are many varieties here www.curtainrodtracks.com

The enterprise has obtained ISO9001 quality management systemcertification; Value of Enterprise is learning, innovation, unity, and advance: Vision is to create the most influential international decorative window decoration brand.

ENTERPRISE HONOR









UTILITY MODEL PATENT

INDUSTRIAL DESIGN PATENT

INDUSTRIAL DESIGN PATENT

GB/T19001-2016/ISO9001:2015



The mission of the enterprise is to beneft all beings and find a way out for employees! Dare to bear, to make contributions to the society! The enterprise takes the market demand as the guidance, takes the scientifc management as the means, fully develops and the reasonable utilization resources, continuously improves, and satisfies the domestic and foreign customer de-



HIGH&NEW TECHNOLOGY ENTERPRISE CERTIFICATE

mand with the high quality product, Perfect facilities to meet the needs of internal and foreign customers. Welcome new and old friends presence, guidance Visit and business negotiations.



There are many varieties here www.curtainrodtracks.com

TABLEOF CONTEN

After 20 years, from scratch, do not forget the original heart, dialogue with customers with products, service to win the market, determined to create a leading brand in the window decoration industry

01 STRAIGHT TRACK SERIES	1-58
02 BENDABLE & STRAIGHT TRACK SERIES	59-64
03 CURVED TRACK SERIES	65-92
04 SILENT TRACK SERIES	93-112
05 DOUBLE TRACK SERIES	113-120
06 EMBEDDED TRACK SERIES	121-126
07 THREE IN ONE CURTAIN BOX SERIES	127-128
08 OTHERS	

01 STRAIGHT TRACK SERIES



HOT SALE

B50

TEXTURE IS EXCELLENT

HIGH QUALITY

THICK ALUMINUM



MUTE STRIP

MATTE TEXTURE

ANTI-CORRSION ANTI-RUST

LONG-LASTING

HUMANIZATION DESIGN

HOT SALE
















Page- 1 //

B50



ZF-25 PARAMETER

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.227KG/M







B86

O Electrophoretic porcelain white



Porcelain swimming light gray




Curry Blue



BEAUTIFUL W-2 NANO SQUARE TRACK PARAMETER

LENGTH: 6.7/6.0M/PCS
WEIGHT: 0.23KG/M
THICKNESS: 1.0MM





CS51




EXTRA THICK LARGE SQUARE TRACK B-TYPE

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.266KG/M





CS53




HEAVY DUTY LARGE SQUARE TRACK C-TYPE

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.297KG/M





Page- 5 //

WR152


Ivory White C-Friction roller Ivory White C-Nanocycle

ECONOMIC NANO LARGE

SQUARE TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.128KG/M







WR331




NANO SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.297KG/M









Page- 7 // Page-8 //

WR372




NANO SMALL SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.107KG/M





INVENTORY WR210

TEXTURE IS EXCELLENT
HIGH QUALITY

THICK ALUMINUM



ANTI-CORRSION

ANTI-RUST

LONG-LASTING

HUMANIZATION DESIGN



IN STOCK »»

Page- 9 //

There are many varieties here www.curtainrodtracks.com

There are many varieties here www.curtainrodtracks.com

IN STOCK

































IF YOU WANT MORE STYLES, PLEASE CONSULT CUSTOMER SERVICE

B01

O Electrophoretic ivory white

Crystal swim champagne




CLASSIC GENEROUS TRACK SERIES

PARAMETER

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.326KG/M









Page- 11 // Page-12 //

B34


We have stable raw material purchasing line, we keep the superior grandraw material to keep high quality.

U-SHAPED MEDIUM SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE WEIGHT: 0.232KG/M









For more colors and details of the product, please consult customer service


U-SHAPED SMALL

SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE WEIGHT: 0.155KG/M







Page- 13 //

B59

O B59-01 Ivory white




B59-02 Apple Gold

YILA NANO SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.199KG/M







B63

○ B63-01 Electrophoretic Ivory




B63-02 Matte apple gold

ROLA MEDIUM SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.233KG/M








Page- 15 //

There are many varieties here www.curtainrodtracks.com


There are many varieties here www.curtainrodtracks.com

B85

Electrophoretic porcelain white




Curry Blue



BEAUTIFUL W-1 NANO LARGE SQUARE TRACK PARAMETER

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.371KG/M THICKNESS: 1.1MM





B88

Sand white


Sand black

Sand blue



MODERN MINIMALIST F-1 NANO SQUARE TRACK PARAMETER

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.214KG/M THICKNESS: 0.6MM





Page- 17 //

CS21




THREE WIRE NANO C-TYPE

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.116KG/M








CS95

For more colors and details of the product, please consult customer service



LENGTH: 6.7/6.0M/PIECE WEIGHT: 0.112KG/M








Page- 19 //

CS185

Electrophoretic ivory white Matte champagne

THICKENED TIMES OF MEDIUM SQUARE CURTAIN TRACK

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.429KG/M








CS186



THICKENED TIMES OF

SMALL SQUARE TRACK

LENGTH: 6.7/6.0M/PIECE
WEIGHT: 0.368KG/M









Page- 21 // Page-22 //







M45-04 Electrophoretic

Ivory white




NEW ERA MEDIUM SQUARE TRACK SERIES

OXIDATION/ELECTROPHORESIS

LENGTH: 6.7/6.0M/PCS


WEIGHT: 0.285KG/M







<u>M54</u>




THREE LINE LARGE MEDIUM SQUARE TRACK

ELECTROPHORESIS

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.421KG/M







Page-24 // Page- 23 //


M89



LIGHT LUXURY D+6 SMALL SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.228KG/M THICKNESS: 0.9MM





WR210



ALTAI T9 NANO MEDIUM SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.147KG/M THICKNESS: 0.9MM



Page- 25 // Page-26 //

WR334

CUSTOMIZATION

22+16 nm small square track


If you want to know more about the size, color and details, please consult customer service.



22+16 NM SMALL SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE WEIGHT: 0.113KG/M













































Page- 27 // Page-28 //

There are many varieties here www.curtainrodtracks.com

There are many varieties here www.curtainrodtracks.com

B22

O B22-02 Electrophoresis ivory white



■ B22-03 Matte Apple gold




FASHION MEDIUM SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.195KG/M







B29

 B29-01 Electrophoretic Champagne



O B29-02 Ivory white




THREE WIRE NANO SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.173KG/M







Page- 29 //


B89

Sand white




Sand blue

Sand black



MODERN MINIMALIST F-2 NANO MEDIUM SQUARE TRACK

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.194KG/M THICKNESS: 0.7MM





B90

Sand white




Sand black

Sand blue



MODERN MINIMALIST F-2 NANO MEDIUM SQUARE TRACK

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.288KG/M THICKNESS: 1.2MM





Page- 31 //

CS22




THREE WIRE NANO MEDIUM SQUARE

TRACK B-TYPE

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.147KG/M







CS23




THREE WIRE NANO MEDIUM SQUARE

TRACK A-TYPE

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.164KG/M









Page- 33 // Page-34 //


CS26

We have stable raw material purchasing line, we keep the superior grandraw material to keep high quality.



LENGTH: 6.7/6.0M/PIECE WEIGHT: 0.122KG/M







CS28




22+20 ONE LINE NANO TRACK

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.126KG/M





Page- 35 // Page-36 //


CS29



16+20 ONE LINE NANO TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.105KG/M





CS44




EXTRA THICK SMALL SQUARE

TRACK B-TYPE

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.201KG/M







Page- 37 // Page-38 //

CS47




THICKENED MEDIUM SQUARE

TRACK B-TYPE

LENGTH: 6.7/6.0M/PCS


WEIGHT: 0.26KG/M







CS65




T20+20 THICKENED TWO-LINE

SMALL SQUARE TRACK

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.202KG/M







Page- 39 // Page-40 //

CS76




23+20 INTERCOM WIRE NANOSCALE

MEDIUM SQUARE TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.163KG/M







M02




THICKENED MEDIUM

SQUARE TRACK

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.318KG/M





Page- 41 //


M88

LIGHT LUXURY D+5

LARGE SQUARE TRACK

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.304KG/M THICKNESS: 1.0MM















Three specifications to suit different needs

Brushed texture, strong modern craft. National standard aluminum, strong load-bearing capacity

Silent configuration, smooth and smooth. Moisture-proof and heat-resistant, long-lasting shine

LIGHT BRUSHED BLACK

BRUSHED IRON GRAY

BRIGHT BRUSHED GOLD

Page- 43 //

There are many varieties here www.curtainrodtracks.com There are many varieties here

V5 LARGE SQUARE TRACK


V5 LARGE SQUARE TRACK

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.266KG/M THICKNESS: 1.0MM



Bright brushed gold


O Brushed iron gray







Electrophoretic ivory white



LENGTH: 6.7/6.0M/PCS WEIGHT: 0.266KG/M

THICKNESS: 1.0MM
















www.curtainrodtracks.com

Page-46 // Page- 45 //

There are many varieties here www.curtainrodtracks.com

There are many varieties here www.curtainrodtracks.com

V5 MEDIUM SQUARE TRACK


O Brushed iron gray

V5 MEDIUM SQUARE TRACK

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.18KG/M THICKNESS: 0.65MM



Bright brushed gold







Electrophoretic ivory white




Porcelain swimming light gray



V5 MEDIUM SQUARE TRACK

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.18KG/M THICKNESS: 0.65MM





Page- 47 // Page-48 // There are many varieties here ————

www.curtainrodtracks.com

O Brushed iron gray

There are many varieties here

www.curtainrodtracks.com


V5 SMALL SQUARE TRACK

V5 SMALL SQUARE TRACK

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.157KG/M THICKNESS: 0.65MM



Bright brushed gold





Light brushed black





Electrophoretic ivory white




Porcelain swimming light gray



V5 SMALL SQUARE TRACK

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.157KG/M THICKNESS: 0.65MM





Page- 49 //

Page-50 //





SUPERB ELECTROPHORESIS/

PORCELAIN SWIMMING

PREFERRED ALUMINUM

U-SHAPED SLOT GUIDE

SIMPLE ALLOY SEAL

LOAD-BEARING MOUNTING CODE



CAMBER GRADIENT VISUAL PERCEPTION

SUPER LIGHT

SLIPPERY

NANO BLACK WHEEL

SUPER LIGHT RUNNER

V6 series square rail, minimalist elegant appearance, suitable for the home with attitude

V6 LARGE SQUARE TRACK

O Electrophoretic ivory white



Porcelain swimming light gray




V6 LARGE SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.266KG/M

THICKNESS: 0.9MM





Page- 51 // Page-52 // There are many varieties here

There are many varieties here

www.curtainrodtracks.com

V6 MEDIUM SQUARE TRACK

Electrophoretic ivory white



Porcelain swimming light gray




V6 LARGE SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.266KG/M

THICKNESS: 0.8MM





www.curtainrodtracks.com

V6 SMALL
SQUARE TRACK

O Electrophoretic ivory white



Porcelain swimming light gray




V6 LARGE SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.153KG/M

THICKNESS: 0.6MM





Page- 53 // Page-54 //



- ULTRA-THIN DESIGN FOR NARROW SPACES
- INTERNAL WINDOW/REVERSE WINDOW IS RECOMMENDED
- NATIONAL STANDARD ALUMINUM HAS STRONG LOAD-BEARING CAPACITY
- SMOOTH AND WEAR-RESISTANT SILENT WHEEL


WR271

Surface electrophoresis process, moisture and heat resistance, lasting shine



LENGTH: 6.7/6.0M/PIECE WEIGHT: 0.137KG/M








Page- 55 // Page-56 //


WR341

We have stable raw material purchasing line, we keep the superior grandraw material to keep high quality.

21+22 NANOMETER
MEDIUM SQUARE TRACK

LENGTH: 6.7/6.0M/PIECE WEIGHT: 0.116KG/M







WR476




PUNCH-FREE AND CARD CODE

SELF-ADHESIVE TRACK

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.134KG/M







Page- 57 // Page-58 //

02 BENDABLE & STRAIGHT TRACK SERIE









Space partition super expert, open space seconds become independent space.

Curved and straight aluminum profiles. More functional, better environmental adaptability.

Boom length can be customized.

HOT SALE

Page- 59 // Page-60 //

WR302


CLASSIC BLACK AND WHITE

COLORS AVAILABLE

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.067KG/M

THICKNESS: 0.8MM







WR303




WR303 BENDABLE &

STRAIGHT TRACK

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.112KG/M

THICKNESS: 1.0MM







Page- 61 //

There are many varieties here ______ www.curtainrodtracks.com There are many varieties here _____ www.curtainrodtracks.com _____ www.curtainrodtracks.com



Internal and external mounting
Dual use of bending and straightening

WR375




BENDABLE &STRAIGHT TRACK

WITH OUTER EDGE

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.121KG/M

THICKNESS: 1.0MM







Page- 63 // Page-64 //

03 CURVED TRACK SERIES

HOT SALE



HIGH QUALITY STEEL AND ALUMINUM, STRONG PLASTICITY

MUTE CONFIGURATION, SO THAT THE CURTAIN IS MORE SMOOTH AND SMOOTH







Page- 65 //

B87

Electrophoretic porcelain white



Porcelain swimming light gray




Curry blue



BEAUTIFUL W-3 NM MID-BEND TRACK

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.182KG/M THICKNESS: 0.9MM







M05




ONE LINE CENTER BEND TRACK

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.105KG/M






Page- 67 //



M24

CURTAIN HEAD TRACK SERIES

ORDINARY CURTAIN TRACK
WEIGHT:0.12KG/M




M24-04



M24-08 generous track magnetic collision

SEVEN-FIGURE MAGIC TRACK A WEIGHT:0.135KG/M








M24-09 medium square track magnetic collision

ONE-WORD MAGIC TRACK
WEIGHT:0.109KG/M








M24-10 medium bend track magnetic collision

WP-G5

THREE-WIRE
MID-BEND TRACK

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.141KG/M THICKNESS: 0.9MM










Page- 69 // Page-70 //

If you want to know more about the product, you can visit the website above, or consult our customer service

NOOLS N







CS100




INSIDE WINDOW SMALL CURVED TRACK

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.078KG/M





Page- 71 //

B23

B23-01 Matte Apple gold



○ B23-02 Electrophoretic Ivory




HEAVY DUTY MEDIUM CURVED TRACK

PARAMETER

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.133KG/M

THICKNESS: 0.8MM





B32

O B32-01 Ivory white



O B32-02 Ivory white




DISCOUNT / U-SHAPED

MEDIUM CURVED TRACK

LENGTH: 6.7/6.0M/PIECE

WEIGHT: 0.104KG/M





Page- 73 //

Page-74 //

CUSTOMIZATION









www.curtainrodtracks.com



























B08

O B08-02 Electrophoresis ivory white




B08-03 Oxidized matte apple gold



HEAVY DUTY BIG CURVED TRACK

LENGTH:6.7/6.0M/PCS

WEIGHT: 0.233KG/M





Page- 75 // Page-76 //

B10

B10-01 Oxidized matte Champagne



O B10-02 Electrophoretic Ivory white




B10-06 Crystal Swim Champagne



NEW ERA CURVED TRACK SERIES

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.126KG/M THICKNESS: 0.9MM








B57

THE NANO-MEDIUM

CURVED TRACK WITH NANO

MUTE STRIP

LENGTH: 6.7/6.0M/PCS WEIGHT: 0.177KG/M THICKNESS: 0.9M











Page- 77 // Page- 78 //

B68


O B68-01 Electrophoretic ivory white

■ B68-02 Matte apple gold

EXCELLENT MEDIUM CURVED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.136KG/M






CS126



FASHION MEDIUM CURVED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.144KG/M







Page- 79 //

CS190




THICKENED TIME CENTER

CURVED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.224KG/M








<u>M19</u>



CLASSIC BIG CURVED TRACK

LENGTH:6.7/6.0M/PCS

WEIGHT:0.188KG/M





Page-82 // Page- 81 //


M72

PRISMATIC MID- CURVED TRACK

PARAMETER


LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.137KG/M





<u>M90</u>




LIGHT LUXURY D+7 NM MEDIUM

CURVED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.166KG/M







Page- 83 //

WR113


Electrophoretic ivory White (plastic wheel) Electrophoretic Ivory White (Alloy wheel)

ELEGANT SILENT A-3 MID-

CURVED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.22KG/M







WR141




FASHION D3+ CENTER

CURVED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.234KG/M







Page- 85 //


WR145

• Brushed black

SIMPLE Y-3 MID-CURVED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.199KG/M








WR189



ALTAI T6 MID- CURVED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.176KG/M








Page- 87 //

WR329

V5 MID-CURVED TRACK


LENGTH: 6.7/6.0M/PCS WEIGHT: 0.137KG/M THICKNESS: 0.8MM









Electrophoretic ivory white



Bright brushed gold








WR451



WR451 NM MID-CURVED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.102KG/M







Page- 89 //


WR452

ivory white Built-in mute bar can be used on demand ivory white

WR452 MID-CURVED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.099KG/M








WR462



WR462 MID- CURVED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.096KG/M







Page- 91 // Page-92 //

04 SILENT TRACK SERIES



HIGH QUALITY STEEL AND ALUMINUM, STRONG PLASTICITY

MUTE CONFIGURATION, SO THAT THE CURTAIN IS MORE SMOOTH AND SMOOTH

IN STOCK




WR439

WR439 THICKENED NANO SQUARE TRACK

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.297KG/M





Page- 93 // Page-94 //

CUSTOMIZATION

PVC MUTE STRAIGHT TRACK

































PVC MUTE STRAIGHT TRACK




IT IS QUIET AND SMOOTH

PARAMETER

LENGTH: 6.7/6.0M/PCS

THICKNESS: 1.5MM





Page- 95 //

WR450


ivory white

BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.129KG/M







WR454




BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.186KG/M







Page- 97 //

WR455




BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.161KG/M







WR456




BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.159KG/M







Page- 99 //


WR457

OCCOOL ivory white

BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH:6.7/6.0M/PCS WEIGHT:0.163KG/M







WR458




BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.145KG/M







Page- 101 //

WR460


• ivory white

BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.197KG/M







WR461




BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.135KG/M







Page- 103 //


WR466



BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH: 6.7/6.0M/PCS
WEIGHT: 0.161KG/M







WR467




BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.141KG/M







Page- 105 //

WR468


• ivory white

BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.141KG/M







WR469




BUILT-IN MUTE BAR CAN BE

USED ON DEMAND

LENGTH:6.7/6.0M/PCS

WEIGHT: 0.157KG/M







Page- 107 //

WR470




BUILT-IN MUTE BAR CAN BE USED ON DEMAND

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.119KG/M





WR444




GLIDE SILENT STRAIGHT TRACK

BUILT-IN MUTE BAR CAN BE USED ON DEMAND

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.119KG/M





Page- 109 //

WR490



GLIDE SILENT STRAIGHT TRACK

BUILT-IN MUTE BAR CAN BE USED ON DEMAND

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.255KG/M







WR491




GLIDE SILENT STRAIGHT TRACK

BUILT-IN MUTE BAR CAN BE USED ON DEMAND

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.289KG/M







Page- 111 //

05 DOUBLE TRACK SERIES

THE DOUBLE SLOT DESIGN GUIDES THE CURTAIN TO OVERLAP THE DEPTH OF SHADING, AND THE SIZE OF THE CURTAIN OVERLAP AREA IS UNLIMITED

IN STOCK




WR342

SMALL DOUBLE GROOVED TRACK

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.24KG/M





Page- 113 //

IN STOCK




WR343

LARGE DOUBLE GROOVED TRACK

PARAMETER

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.286KG/M







If you want to know more about the product, you can visit the website above, or consult our customer service






CUSTOMIZATION

Page- 115 //

WR366 NANO DOUBLE TRACK



- BUILT-IN MUTE BAR SMOOTH MUTE
- SIMPLE DESIGN OF CONNECTED ORBIT
- SURFACE ELECTROPHORESIS PROCESS LASTING SHINE











PARAMETER

LENGTH: 6.7/6.0/M/PCS

WEIGHT: 0.483KG/M





Page- 117 //


WR60

• Electrophoretic ivory white • Electrophoretic champagne

THE DOUBLE TRACK OF THE NEW ERA

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.939KG/M










WR60 (SILENT MODEL)



THE DOUBLE TRACK OF THE NEW ERA

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.939KG/M









Page- 119 //

06 EMBEDDED TRACK SERIES

CUSTOMIZATION









BUILT-IN WALL•

NATIONAL STANDARD ALUMINUM, STRONG BEARING CAPACITY•

SMOOTH AND WEAR-RESISTANT SILENT WHEEL.

Page- 121 //


WR312


• Electrophoretic ivory white


EMBEDDED OUTER EDGE SQUARE TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.198KG/M







02. Load the profile and fix it




WR335




EMBEDDED PRE INSTALLED TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.297KG/M



01. Fix the profile first





02. Fill with drywall or wood



Page- 123 //

WR385





IN STOCK

LARGE EMBEDDED BENDABLE & STRAIGHT TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.24KG/M





02. Load the profile and fix it



WR406




IN STOCK

SMALL EMBEDDED STRAIGHT TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.145KG/M





Page- 125 //

There are many varieties here www.curtainrodtracks.com There are many varieties here www.curtainrodtracks.com

07 THREE IN ONE CURTAIN BOX SERIES



CURTAIN BOX BAFFLE









Single track + curtain box baffle

Double track + curtain box baffle

Connected track + curtain box baffle



SMALL EMBEDDED STRAIGHT TRACK

LENGTH: 6.7/6.0M/PCS

WEIGHT: 0.615KG/M

Page-128 // Page- 127 //